

IN THE CLAIMS:

Please amend claim 22 as follows:

1-21. (Cancelled)

22. (Currently Amended) A liquid crystal display device comprising:

a first substrate having thereon a pixel electrode in an active element;

a second substrate having thereon an opposed electrode; and

a liquid crystal layer interposed between said first and second substrates with said electrodes facing each other,

wherein a first orientation control element is formed in said pixel electrode and
extends in a nonparallel direction relative to an extending direction of an edge of said pixel
electrode and,

wherein a second orientation control element extends in a parallel direction
relative to an extending direction of said edge,

wherein said first orientation control element is provided on said first and
second substrates respectively,

wherein at least a part of liquid crystal molecules of said liquid crystal layer on
said second orientation control element are orientated in a vertical direction relative to said
substrate when voltage is being applied between said pixel and opposed electrodes,

wherein said first and second orientation control elements ~~is a slit formed in said pixel electrode as a pattern cutting and in an oblique direction relative to an extending direction of said edge and~~ are pattern-cut slits, and

wherein said second orientation control element is provided on said second substrate, and said pixel electrode does not exist on at least a part of a place on said first substrate opposed to said second orientation control element.

23-25. (Cancelled)

26. (Original) The device according to claim 22, wherein a dielectric anisotropy of said liquid crystal molecules of said liquid crystal layer is negative.

27-33. (Cancelled)

34. (Previously Presented) The device according to claim 22, wherein said liquid crystal molecules on said second orientation control element are oriented in a non-vertical direction relative to a longitudinal direction of said second orientation control element when no voltage is applied.

35. (Previously Presented) The device according to claim 34, wherein said liquid crystal molecules on said second orientation control element are oriented in a

direction of 45° relative to the longitudinal direction of said second orientation control element.